

BIOMIZIN

DESCRIPTION

Ampicillin trihydrate and colistin methansulphonate in injectable suspension.

TECHNICAL PROPERTIES

Belonging to the group of beta-lactam antibiotics, ampicillin is able to penetrate Gram-positive and some Gram-negative bacteria: *almonella*, *Shigella*, *Staphylococcus*, *Streptococcus*, *Corynebacterium*, *Clostridium*, *E. coli*, *Klebsiella*, *Proteus*, *Pasteurella* and *Haemophilus*.

Colistin is a bactericide active specially with *Salmonella*, *Pseudomona*, *Shigella*, *E. coli*, *Klebsiella*, *Bordetella*, *Haemophilus* and *Aerobacter*. Colistin has a synergetic effect with penicillins, which is in this case ampicillin.

INDICATIONS AND SPECIES

Indicated for pigs, sheep, goats and cattle in the treatment of infections caused by germs that are sensitive to the association of ampicillin-colistin and are present in the digestive, respiratory and urogenital apparatus as well as in the skin, blood and soft tissues.

COMPOSITION

Ampicillin trihydrate	100 mg
Colistin methansulphonate	250.000 IU
Excipient to 1 ml	

DOSAGE

It is administered intramuscularly or subcutaneously at doses of 1-1.5 ml every 10 k.l.w. for 3 days.

INCOMPATIBILITIES

Do not administer together with bacteriostatic antimicrobials tetracyclines sulphamides, aminoglycosides and cephalosporins.

CONTRAINDICATIONS

Do not use in rabbits, horses or animals that are hypersensitive to penicillins or with allergy to antibiotics belonging to betalactamic group.

OVERDOSAGE

Stop the treatment and start a symptomatic treatment.

PACKAGING

100 ml glass vials.

WITHDRAWAL PERIOD

Meat: 21 days

C/Luxemburg, 25 – Polígono
Industrial
Apdo 15 . 43120 CONSTANTÍ
(Tarragona)
Tel. 977 29 63 04 Fax 977 29 63 05
www.biovét-alquermes.com

Premio a la Internacionalización
Cámara de Comercio 2005



INTERNATIONAL ADDRESS
P.O Box 15
43120 CONSTANTÍ (Tarragona)
SPAIN
Tel. 34 – 977 29 63 04
Fax 34 – 977 29 63 05